



DCE Syvac Central Vacuum Cleaning Systems

Donaldson Dust Collection Group

DCE Syvac central vacuum cleaning systems

The DCE Syvac central vacuum cleaning system provides a vacuum service throughout an installation.

The system consists of a motor-driven centrifugal exhauster connected to a separator, with smooth flow tubing extending the vacuum source to various locations. This allows all collected materials to be conveyed to one central location for convenient and efficient disposal.

Due to the high velocity design, the system offers another significant advantage in that it allows multiple user operation, with any number of operators working at the same time.

DCE Syvac system applications

The DCE Syvac system can be utilised in a wide variety of applications, offering a benefit to almost any industry.



Food processing



Packing and bagging



Screening and conveying




Laboratories



Chemical Pharmaceutical Mineral Metal Engineering Rubber Buildings Office environments Electronics Textile Transport Bus depots Car rental Trains

Food

Tobacco



Quiet operation, since the vacuum source can be located away from occupied areas

> Multiple user operation — any number of operators working at the same time

DCE Syvac complete service



Site Assessment Process Evaluation System Design Quality Manufacture On Time Installation After Sales Service Technical Support

DCE Syvac system options



Tried, tested and respected Dalamatic fabric filter bags



Compact and efficient Unicell cartridge filter elements



Heavy duty castor type bin (as shown) or other discharge arrangements

Also available:

Anti Static Features Explosion Relief Stainless Steel Version

DCE Syvac system accessories



To assure system flexibility and optimum performance, the DCE Syvac system offers the user an effective array of hose and tools that have been specifically designed to handle the toughest demands, yet are easy and practical to use.

Smooth flow tubing and fittings provide a cost effective piping system, with a range available that allows system design and installation to be easily accomplished.



Accessories



Smooth flow tubing

Company Profile

Torit DCE is world-renowned for the quality of its products and application expertise. It also offers the widest choice of dust, fume and oil mist control products, solutions and services available. These are supported worldwide with a dedicated network of wholly owned distributors and authorised agents.


With 80 years' experience, Torit DCE provides the strength to deliver proven solutions to numerous environmental control problems.

Torit DCE designs, manufactures and installs a complete range of collection equipment. These products use a wide variety of media including: cartridge technology, spun-bonded polyester modules, fabric bags and rigid sintered elements. Torit DCE also designs and installs complete systems based on its leading range of products.

Customer Service

DCE products are supported by a fully inclusive after sales and technical support service package covering:

Technical support group Complete turnkey installations Installation Commissioning COSHH testing & inspection scheme Service and maintenance scheme Spare parts





Torit DCE, Humberstone Lane, Thurmaston, Leicester LE4 8HP, England Tel + 44 (0)116 269 6161 Fax + 44 (0)116 269 3028 Email: toritdce.uk@mail.donaldson.com Torit DCE, Unit 9, Southern Cross Business Park, Bray, Co. Wicklow, Ireland. Tel + 353 (0)1 286 8145 Fax + 353 (0)1 286 8732 Email: toritdce.uk@mail.donaldson.com

Donaidson Dusi Conection Group

http://www.toritdce.com

 Image: Torit DCE, Unit 9, Southern Cross Business Park, Bray, Co. Wicklow, Ireland.

 Tel + 353 (0)1 286 8145
 Fax + 353 (0)1 286 8732
 Email: toritdce.uk@mail.donaldson.com

 B
 European Head Office

 Torit DCE, Interleuvenlaan, B-3001 Leuven (Heverlee), Belgium.

 Tel + 32 (0)16 383 970
 Fax + 32 (0)16 383 938

Torit DCE reserve the right to alter design without notice. Freedom from patent restrictions must not be assumed

SGS EQCI

Publication 2590B(GB) • 10/01